

8MP Analog HD Module


VNX-8E32



Product Highlight

- 1/2.8" 8.40MP SONY Progressive Scan Color CMOS Sensor
- AHD, TVI, CVI, CVBS or EX-SDI
- Output Resolution 2MP / 4MP / 8MP
- Real WDR at 15fps
- 2DNR & 3DNR
- 32mm x 32mm

Dimensions



	VNX-8E32
Imaging Sensor	1/2.8" 8.40 Megapixel COMS
Scanning System	Progressive Scan
S/N Ratio	More than 50dB
Video Output Size	8.29 MP: 3840 x 2160 @ 15 fps, 1920x1080 @ 25/30 fps, 2560x1440 @ 25/30 fps
Video Output Level	AHD / TVI / CVI / CVBS or EX-SDI
Min. Illumination	Color: 1.0 Lux / B&W: 0.5 Lux
OSD	Built in
Electronic Shutter Speed	AUTO / FLICKER / MANUAL
	NTSC : 1/30 – 1/30,000 sec PAL : 1/25 – 1/25,000 sec
Brightness	0 – 20 Step
AGC	0 – 10 Step
Sens-up	OFF / x2 – x32
Backlight Compensation	OFF / HLC / BLC / WDR
Day & Night	AUTO / COLOR / B&W / EXTERN
White Balance	AUTO / AUTOext / PRESET / MANUAL
DNR	OFF / LOW / MIDDLE / HIGH
Sharpness	0 – 10 Step
Mirror	OFF / ON
Flip	OFF / ON
ACE (D-WDR)	OFF / LOW / MIDDLE / HIGH
Defog	OFF / ON
Shading	OFF / ON
Privacy Mask	24 Masks (BOX 16 / POLYGON 8)
Motion Detection	OFF / ON
Language	English, Korean, Chinese, Japanese
Operating Condition	-10°C – +50°C, under 90% humidity
Supplied voltage	DC12 ± 10%
Power Consumption	160mA (Max)
Dimensions	32mm X 32mm X 1.2mm(t)